

TLOUŠŤKA STROPU 230 mm




MIAKO 19/62,5
MIAKO 8/62,5
MIAKO 8/50

The drawing shows a cross-section of a roof structure. On the left, two horizontal lines indicate levels at +3,730 and +3,500. The roof slope is shown with a grid of circles representing insulation. A vertical section line 'A-A' is marked. On the right, a vertical dimension line shows a total height of 230 mm, with a 50 mm section at the top. Below the drawing, the text '3000x2000' is underlined, followed by 'KARI SIT SZ 6/100-6/100'.

+3,730
+3,500










230
50

3000x2000
KARI SIT SZ 6/100-6/100




P1	NOSNÍK MIAKO-dl.6500mm - 21ks	VL1	MIAKO 19/62,5 - 192ks
P2	NOSNÍK MIAKO-dl.3250mm - 8ks	VL2	MIAKO 8/62,5 - 24ks
P3	NOSNÍK MIAKO-dl.3000mm - 13ks	VL3	MIAKO 19/50 - 460ks
		VL3	MIAKO 8/50 - 42ks


VĚNEC (V1) - 28m 1:25




VĚNEC (V5) - 8,60m 1:25



VĚNEC (V6) - 8,60m 1:25




VĚNEC (V7) - 6,00m 1:25



VĚNEC CHODEB (V8) - 2x78,70=157,40m 1:25


VĚNEC TERASY (V9) - 41m 1:25



VÝPIS VÝZTUŽE STROPU NAD 1. NP A VĚNCŮ

OZN.		PROFIL	DĚLKA	ks	VÝZUŽLO 10355 (8)			KARI ST SZ
					§ R8	§ R12	§ R14	6/100-6/100
1	8	1000	112		112,0			
2	8	1300	52		67,60			
3	8	1700	15		25,50			
4	8	1350	15		20,30			
5	8	1150	54		62,10			
6	8	850	35		28,80			
7	8	1000	35		35,00			
8	8	1300	24		31,20			
9	8	1050	794		833,70			
RV1	12		1135m			1135,00		
RV2	14		44m				44,00	
ST	6/100	3,00x2,00	25ks					150,00 m2
CELEK	m				1.217,20	10355,00	44,00	150,00
HMNOVOST	1 m ³	kg/m ³			0,395	0,888	1,208	4,440
CELEKEM	KG				480,80	1.007,80	53,20	666,00
CELEKEM	KG					1.541,90 kg		666,00
CELEKEM	KG					2.207,90 kg		

ZMĚNA č.1.

PROJEKTANT	Ing. MILOSLAV BLAŽEK		
VED. PROJEKTANT	Ing. MILOSLAV BLAŽEK		
INVESTOR	DOMOV SEDLČANY, U KULTURNÍHO DOMU č. 746, 284 01 SEDLČANY		
STAVEBNÍ ÚŘAD	MÚO SEDLČANY KRAJ STŘEDOČESKÝ		
STAVBA	STAVEBNÍ ÚPRAVY SPOJOVACÍCH CHODEB DOMOV SEDLČANY, U KULTURNÍHO DOMU 746, SEDLČANY		DATUM 07/2014
D.1.2. STAVEBNĚ - KONSTRUKČNÍ ČÁST - NAVRHOVANÝ STAV TVAR A VÝZTUŽ STROPŮ A VĚNCŮ			STUPEŇ STAVEBNÍ POVOLENÍ
			ZAKÁZKOVÉ ČÍSLO 2014/08
			FORMÁT 9 A 4
			MĚRITKO 1:50, 1:25
			ČÍSLO VÝKRESU D.1.2 - 09/21

**BETON C 25/30, XC2
OCEL 10 505 (R)**

$$\pm 0,000 = 370,550 \text{ m}$$