

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
1	0.000	-718158.28	-1095419.76	373.08
2	0.000	-718154.84	-1095421.26	373.16
3	0.000	-718151.02	-1095422.92	373.23
4	0.050	-718139.74	-1095373.52	373.16
5	0.050	-718135.89	-1095374.99	373.26
6	0.050	-718132.60	-1095376.25	373.35
7	0.100	-718122.99	-1095326.61	373.85
8	0.100	-718119.07	-1095327.91	373.96
9	0.100	-718115.60	-1095329.06	374.05
10	0.150	-718108.05	-1095279.01	374.87
11	0.150	-718104.22	-1095280.17	374.93
12	0.150	-718100.54	-1095281.28	374.99
13	0.200	-718093.34	-1095231.22	375.86
14	0.200	-718089.75	-1095232.31	375.83
15	0.200	-718086.30	-1095233.35	375.80
16	0.250	-718078.70	-1095183.34	377.08
17	0.250	-718075.13	-1095184.49	376.99
18	0.250	-718071.56	-1095185.65	376.90
19	0.300	-718061.85	-1095136.04	378.20
20	0.300	-718058.35	-1095137.40	378.10
21	0.300	-718054.73	-1095138.81	378.00
22	0.350	-718042.24	-1095089.81	379.75
23	0.350	-718038.83	-1095091.38	379.66
24	0.350	-718035.33	-1095092.98	379.56
25	0.400	-718019.97	-1095044.80	381.78
26	0.400	-718016.64	-1095046.58	381.69
27	0.400	-718013.38	-1095048.31	381.60
28	0.450	-717995.14	-1095001.16	384.38
29	0.450	-717991.86	-1095003.16	384.29
30	0.450	-717988.74	-1095005.07	384.20
31	0.500	-717967.69	-1094959.11	387.39
32	0.500	-717964.56	-1094961.28	387.30
33	0.500	-717961.41	-1094963.47	387.20
34	0.550	-717937.92	-1094918.66	390.42
35	0.550	-717934.85	-1094921.07	390.32
36	0.550	-717931.99	-1094923.32	390.23
37	0.600	-717905.68	-1094880.16	393.44
38	0.600	-717902.83	-1094882.68	393.30
39	0.600	-717900.04	-1094885.15	393.17
40	0.650	-717871.37	-1094843.49	396.53
41	0.650	-717868.61	-1094846.24	396.38
42	0.650	-717866.07	-1094848.77	396.23
43	0.700	-717835.05	-1094808.79	399.54
44	0.700	-717832.30	-1094811.87	399.38
45	0.700	-717829.84	-1094814.63	399.23
46	0.750	-717796.53	-1094776.55	402.39
47	0.750	-717794.03	-1094779.70	402.29
48	0.750	-717791.86	-1094782.45	402.20

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
49	0.800	-717756.24	-1094746.56	405.42
50	0.800	-717753.94	-1094749.83	405.32
51	0.800	-717751.87	-1094752.79	405.23
52	0.850	-717714.32	-1094718.88	408.42
53	0.850	-717712.17	-1094722.37	408.32
54	0.850	-717710.26	-1094725.47	408.23
55	0.900	-717670.81	-1094693.78	411.43
56	0.900	-717668.85	-1094697.42	411.31
57	0.900	-717667.18	-1094700.51	411.20
58	0.950	-717625.94	-1094671.16	414.20
59	0.950	-717624.14	-1094675.05	414.09
60	0.950	-717622.72	-1094678.12	414.01
61	1.000	-717579.73	-1094651.50	416.72
62	1.000	-717578.25	-1094655.22	416.62
63	1.000	-717576.81	-1094658.81	416.53
64	1.050	-717532.47	-1094634.46	419.02
65	1.050	-717531.26	-1094638.14	418.93
66	1.050	-717530.04	-1094641.85	418.83
67	1.100	-717483.87	-1094621.46	421.37
68	1.100	-717483.19	-1094624.45	421.29
69	1.100	-717482.43	-1094627.82	421.21
70	1.150	-717434.37	-1094613.09	423.76
71	1.150	-717433.94	-1094615.91	423.81
72	1.150	-717433.53	-1094618.63	423.74
73	1.200	-717384.92	-1094605.67	426.04
74	1.200	-717384.51	-1094608.42	426.11
75	1.200	-717384.08	-1094611.26	426.04
76	1.250	-717335.48	-1094598.21	428.23
77	1.250	-717335.07	-1094600.93	428.25
78	1.250	-717334.65	-1094603.70	428.18
79	1.300	-717284.10	-1094593.54	429.95
80	1.300	-717285.47	-1094599.14	429.98
81	1.300	-717286.12	-1094601.82	429.79
82	1.350	-717238.56	-1094616.67	431.11
83	1.350	-717239.73	-1094619.16	431.12
84	1.350	-717240.90	-1094621.64	431.05
85	1.400	-717193.31	-1094637.94	432.03
86	1.400	-717194.48	-1094640.43	432.10
87	1.400	-717195.65	-1094642.92	432.03
88	1.450	-717148.06	-1094659.21	432.90
89	1.450	-717149.23	-1094661.70	432.97
90	1.450	-717150.40	-1094664.19	432.92
91	1.500	-717102.68	-1094675.00	433.47
92	1.500	-717102.53	-1094678.19	433.73
93	1.500	-717102.37	-1094681.77	434.01
94	1.550	-717063.83	-1094649.72	435.66
95	1.550	-717061.87	-1094651.53	435.73
96	1.550	-717059.77	-1094653.46	435.70

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
97	1.600	-717030.05	-1094612.86	438.28
98	1.600	-717028.00	-1094614.74	438.35
99	1.600	-717025.98	-1094616.61	438.28
100	1.650	-716996.06	-1094576.09	441.01
101	1.650	-716994.09	-1094578.00	440.94
102	1.650	-716992.11	-1094579.92	440.87
103	1.700	-716949.34	-1094557.81	442.89
104	1.700	-716949.30	-1094560.62	442.81
105	1.700	-716949.26	-1094563.37	442.73
106	1.750	-716899.64	-1094556.75	444.12
107	1.750	-716899.32	-1094559.49	444.32
108	1.750	-716899.01	-1094562.22	444.51
109	1.800	-716854.18	-1094539.35	445.72
110	1.800	-716852.90	-1094541.78	445.79
111	1.800	-716851.62	-1094544.22	445.72
112	1.850	-716809.91	-1094516.10	445.73
113	1.850	-716808.63	-1094518.53	445.80
114	1.850	-716807.45	-1094520.79	445.74
115	1.900	-716765.65	-1094492.85	443.89
116	1.900	-716764.37	-1094495.28	443.96
117	1.900	-716763.10	-1094497.69	443.89
118	1.950	-716720.89	-1094470.13	441.82
119	1.950	-716719.79	-1094472.65	441.75
120	1.950	-716718.70	-1094475.18	441.68
121	2.000	-716673.12	-1094454.28	440.09
122	2.000	-716672.39	-1094456.93	440.09
123	2.000	-716671.65	-1094459.58	440.09
124	2.050	-716626.11	-1094438.80	438.85
125	2.050	-716624.96	-1094441.30	439.01
126	2.050	-716623.81	-1094443.81	439.18
127	2.100	-716583.88	-1094413.13	436.65
128	2.100	-716582.25	-1094415.44	436.72
129	2.100	-716580.67	-1094417.69	436.66
130	2.150	-716543.09	-1094384.24	434.59
131	2.150	-716541.49	-1094386.48	434.66
132	2.150	-716539.93	-1094388.68	434.59
133	2.200	-716502.41	-1094355.16	432.16
134	2.200	-716500.74	-1094357.52	432.23
135	2.200	-716499.19	-1094359.69	432.16
136	2.250	-716461.68	-1094326.16	429.75
137	2.250	-716459.99	-1094328.55	429.82
138	2.250	-716458.43	-1094330.74	429.76
139	2.300	-716420.74	-1094297.43	428.16
140	2.300	-716419.16	-1094299.68	428.23
141	2.300	-716417.58	-1094301.93	428.16
142	2.350	-716379.75	-1094268.76	427.44
143	2.350	-716378.12	-1094271.12	427.51
144	2.350	-716376.56	-1094273.38	427.44

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
145	2.400	-716338.48	-1094240.52	426.73
146	2.400	-716336.91	-1094242.80	426.80
147	2.400	-716335.35	-1094245.07	426.76
148	2.450	-716300.60	-1094209.30	425.24
149	2.450	-716298.45	-1094211.12	425.41
150	2.450	-716296.29	-1094212.95	425.58
151	2.500	-716277.87	-1094166.28	424.03
152	2.500	-716274.86	-1094167.37	424.11
153	2.500	-716271.39	-1094168.63	424.11
154	2.550	-716261.03	-1094119.25	422.61
155	2.550	-716258.43	-1094120.15	422.68
156	2.550	-716255.68	-1094121.10	422.61
157	2.600	-716243.11	-1094072.28	420.78
158	2.600	-716240.62	-1094073.45	420.70
159	2.600	-716237.80	-1094074.80	420.60
160	2.650	-716214.74	-1094030.35	417.98
161	2.650	-716212.71	-1094032.21	417.91
162	2.650	-716210.27	-1094034.45	417.82
163	2.700	-716179.76	-1093994.54	414.51
164	2.700	-716177.99	-1093996.23	414.57
165	2.700	-716175.62	-1093998.51	414.49
166	2.750	-716146.27	-1093957.50	411.15
167	2.750	-716144.03	-1093959.54	411.11
168	2.750	-716141.76	-1093961.60	411.03
169	2.800	-716107.40	-1093925.15	409.77
170	2.800	-716105.36	-1093928.25	409.86
171	2.800	-716103.32	-1093931.33	409.77
172	2.850	-716070.04	-1093894.82	411.80
173	2.850	-716066.80	-1093896.97	411.97
174	2.850	-716063.86	-1093898.91	412.13
175	2.900	-716069.50	-1093852.02	415.79
176	2.900	-716064.28	-1093849.36	415.86
177	2.900	-716060.69	-1093847.53	415.90
178	2.950	-716097.23	-1093811.45	416.44
179	2.950	-716092.40	-1093808.05	416.59
180	2.950	-716088.63	-1093805.39	416.54
180.1	3.000	-716125.74	-1093770.78	414.64
180.2	3.000	-716122.69	-1093768.29	414.73
180.3	3.000	-716119.89	-1093766.01	414.63
181	3.050	-716152.75	-1093727.07	412.61
182	3.050	-716148.04	-1093725.72	412.47
183	3.050	-716144.36	-1093724.66	412.35
184	3.100	-716154.49	-1093675.54	411.60
185	3.100	-716150.57	-1093676.10	411.48
186	3.100	-716146.19	-1093676.72	411.35
187	3.150	-716136.71	-1093627.57	410.77
188	3.150	-716132.87	-1093629.72	410.82
189	3.150	-716129.23	-1093631.76	410.87

EHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
190	3.200	-716113.28	-1093584.46	410.96
191	3.200	-716110.00	-1093585.38	411.17
192	3.200	-716106.64	-1093586.32	411.36
193	3.250	-716115.18	-1093536.28	413.33
194	3.250	-716111.83	-1093535.85	413.21
195	3.250	-716108.69	-1093535.44	413.12
196	3.300	-716110.72	-1093485.61	416.37
197	3.300	-716107.78	-1093486.43	416.25
198	3.300	-716104.55	-1093487.33	416.13
199	3.350	-716095.62	-1093437.21	419.71
200	3.350	-716091.11	-1093439.36	419.73
201	3.350	-716087.97	-1093440.86	419.64
202	3.400	-716071.17	-1093393.35	421.98
203	3.400	-716067.89	-1093395.08	422.07
204	3.400	-716065.24	-1093396.48	422.00
205	3.450	-716047.39	-1093349.36	424.19
206	3.450	-716044.52	-1093350.88	424.27
207	3.450	-716041.97	-1093352.23	424.19
208	3.500	-716023.92	-1093305.21	425.83
209	3.500	-716021.15	-1093306.68	425.91
210	3.500	-716018.61	-1093308.02	425.84
211	3.550	-716000.48	-1093261.05	427.76
212	3.550	-715997.78	-1093262.48	427.84
213	3.550	-715995.28	-1093263.80	427.77
214	3.600	-715977.01	-1093216.90	429.59
215	3.600	-715974.40	-1093218.27	429.66
216	3.600	-715971.83	-1093219.64	429.59
217	3.650	-715953.45	-1093172.78	431.39
218	3.650	-715950.95	-1093174.12	431.46
219	3.650	-715948.53	-1093175.42	431.40
220	3.700	-715929.53	-1093128.84	432.65
221	3.700	-715927.09	-1093130.18	432.72
222	3.700	-715924.53	-1093131.58	432.65
223	3.750	-715905.28	-1093085.08	433.97
224	3.750	-715902.79	-1093086.48	434.04
225	3.750	-715900.11	-1093087.99	433.96
226	3.800	-715880.65	-1093041.53	436.23
227	3.800	-715878.05	-1093043.03	436.31
228	3.800	-715875.36	-1093044.58	436.23
229	3.850	-715855.54	-1092998.27	439.33
230	3.850	-715852.89	-1092999.82	439.40
231	3.850	-715850.38	-1093001.29	439.33
232	3.900	-715830.26	-1092955.13	442.21
233	3.900	-715827.60	-1092956.69	442.29
234	3.900	-715825.23	-1092958.08	442.22
235	3.950	-715804.75	-1092912.13	444.94
236	3.950	-715802.32	-1092913.55	445.01
237	3.950	-715799.77	-1092915.05	444.93

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
238	4.000	-715779.48	-1092868.98	447.39
239	4.000	-715777.03	-1092870.42	447.46
240	4.000	-715774.46	-1092871.92	447.39
241	4.050	-715754.24	-1092825.82	449.95
242	4.050	-715751.74	-1092827.28	449.84
243	4.050	-715749.37	-1092828.67	449.74
244	4.100	-715724.50	-1092784.99	452.41
245	4.100	-715722.44	-1092786.93	452.27
246	4.100	-715720.26	-1092788.98	452.12
247	4.150	-715690.27	-1092748.53	454.37
248	4.150	-715688.15	-1092750.53	454.44
249	4.150	-715686.01	-1092752.55	454.37
250	4.200	-715656.00	-1092712.14	456.27
251	4.200	-715653.89	-1092714.12	456.34
252	4.200	-715651.72	-1092716.15	456.27
253	4.250	-715621.85	-1092675.63	457.97
254	4.250	-715619.75	-1092677.59	458.04
255	4.250	-715617.63	-1092679.57	457.97
256	4.300	-715587.82	-1092639.00	459.69
257	4.300	-715585.70	-1092640.98	459.76
258	4.300	-715583.60	-1092642.93	459.69
259	4.350	-715553.74	-1092602.42	460.99
260	4.350	-715551.66	-1092604.35	461.07
261	4.350	-715549.58	-1092606.28	461.01
262	4.400	-715525.77	-1092563.22	461.50
263	4.400	-715522.44	-1092564.30	461.79
264	4.400	-715519.69	-1092565.19	462.02
265	4.450	-715532.69	-1092517.54	462.11
266	4.450	-715529.70	-1092516.11	462.19
267	4.450	-715527.42	-1092515.01	462.20
268	4.500	-715555.16	-1092472.97	461.44
269	4.500	-715552.49	-1092471.60	461.52
270	4.500	-715550.01	-1092470.32	461.45
271	4.550	-715577.93	-1092428.39	459.88
272	4.550	-715575.30	-1092427.11	459.89
273	4.550	-715572.42	-1092425.70	459.81
274	4.600	-715589.45	-1092378.58	457.00
275	4.600	-715586.00	-1092379.08	456.76
276	4.600	-715582.71	-1092379.56	456.52
277	4.650	-715565.85	-1092333.27	452.29
278	4.650	-715563.52	-1092335.08	452.33
279	4.650	-715560.96	-1092337.07	452.25
280	4.700	-715534.92	-1092293.97	447.69
281	4.700	-715532.64	-1092295.76	447.77
282	4.700	-715530.29	-1092297.60	447.69
283	4.750	-715504.16	-1092254.55	443.54
284	4.750	-715501.75	-1092256.44	443.62
285	4.750	-715499.38	-1092258.31	443.54

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
286	4.800	-715473.14	-1092215.33	439.57
287	4.800	-715470.85	-1092217.13	439.64
288	4.800	-715468.46	-1092219.01	439.56
289	4.850	-715442.16	-1092176.09	435.56
290	4.850	-715439.96	-1092177.81	435.63
291	4.850	-715437.47	-1092179.77	435.55
292	4.900	-715411.30	-1092136.74	431.38
293	4.900	-715409.04	-1092138.53	431.45
294	4.900	-715406.54	-1092140.50	431.37
295	4.950	-715380.39	-1092097.42	427.01
296	4.950	-715377.98	-1092099.34	427.09
297	4.950	-715375.57	-1092101.25	427.01
298	5.000	-715349.28	-1092058.28	422.66
299	5.000	-715346.88	-1092060.19	422.74
300	5.000	-715344.47	-1092062.10	422.66
301	5.050	-715318.30	-1092019.04	418.51
302	5.050	-715315.78	-1092021.04	418.59
303	5.050	-715313.50	-1092022.85	418.52
304	5.100	-715287.14	-1091979.93	414.42
305	5.100	-715284.68	-1091981.89	414.34
306	5.100	-715282.33	-1091983.76	414.27
307	5.150	-715253.72	-1091942.23	410.07
308	5.150	-715251.60	-1091944.47	409.92
309	5.150	-715249.39	-1091946.81	409.76
310	5.200	-715213.92	-1091911.21	407.67
311	5.200	-715212.23	-1091913.77	407.55
312	5.200	-715210.54	-1091916.32	407.43
313	5.250	-715172.27	-1091883.55	406.39
314	5.250	-715170.55	-1091886.15	406.47
315	5.250	-715168.85	-1091888.71	406.39
316	5.300	-715131.11	-1091855.41	407.26
317	5.300	-715129.27	-1091857.94	407.34
318	5.300	-715127.50	-1091860.37	407.38
319	5.350	-715092.92	-1091823.88	409.82
320	5.350	-715090.78	-1091826.09	409.99
321	5.350	-715088.57	-1091828.37	410.16
322	5.400	-715061.19	-1091786.16	413.27
323	5.400	-715058.57	-1091787.95	413.46
324	5.400	-715056.16	-1091789.61	413.63
325	5.450	-715037.34	-1091743.01	416.48
326	5.450	-715034.65	-1091744.14	416.66
327	5.450	-715031.70	-1091745.39	416.85
328	5.500	-715023.11	-1091695.81	419.55
329	5.500	-715019.99	-1091696.43	419.74
330	5.500	-715017.05	-1091697.02	419.92
331	5.550	-715017.83	-1091646.75	421.94
332	5.550	-715014.45	-1091646.80	422.14
333	5.550	-715003.61	-1091646.95	422.79

PŘEHLED BODŮ				
Číslo bodu	Staničení	Y	X	Z
334	5.600	-715022.36	-1091597.79	423.28
335	5.600	-715019.43	-1091597.16	423.46
336	5.600	-715016.55	-1091596.53	423.64
337	5.650	-715034.82	-1091549.52	423.99
338	5.650	-715032.12	-1091548.80	424.06
339	5.650	-715029.42	-1091548.07	424.01
340	5.700	-715047.96	-1091501.28	424.18
341	5.700	-715045.04	-1091500.50	424.26
342	5.700	-715042.43	-1091499.80	424.19
343	5.750	-715059.34	-1091452.28	424.15
344	5.750	-715056.47	-1091451.85	424.09
345	5.750	-715053.33	-1091451.37	424.01
346	5.800	-715058.71	-1091401.61	424.22
347	5.800	-715055.77	-1091402.09	424.21
348	5.800	-715052.78	-1091402.57	424.14
349	5.850	-715049.51	-1091352.39	424.78
350	5.850	-715046.68	-1091352.92	424.85
351	5.850	-715043.93	-1091353.44	424.78
352	5.900	-715040.25	-1091303.25	425.56
353	5.900	-715037.44	-1091303.78	425.63
354	5.900	-715034.74	-1091304.29	425.57
355	5.950	-715030.98	-1091254.12	425.85
356	5.950	-715028.21	-1091254.64	425.92
357	5.950	-715025.46	-1091255.16	425.85
358	6.000	-715021.85	-1091204.96	425.28
359	6.000	-715018.98	-1091205.50	425.35
360	6.000	-715016.23	-1091206.02	425.28
361	6.050	-715012.39	-1091155.86	424.83
362	6.050	-715009.73	-1091156.36	424.90
363	6.050	-715006.78	-1091156.92	424.82
364	6.100	-715003.21	-1091106.71	424.25
365	6.100	-715000.39	-1091107.24	424.32
366	6.100	-714997.61	-1091107.77	424.25
367	6.147	-714994.49	-1091060.52	422.91
368	6.147	-714991.61	-1091061.07	422.99
369	6.147	-714988.78	-1091061.61	422.91