

---

Project :File : C:\\_AKCE\487201~1\VP0ET4~1.LPF

---


## Summary

---

### Grid summary



Average type : Arithmetic (A) or Weighted (W)

Kontrolni plocha (1)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	5,9	26,2	13,4	22,4	43,9

**Current view** Configuration (2)

**Grid results**

Average type : Arithmetic (A) or Weighted (W)

**Kontrolni plocha (1) : Illuminance [lux]****Kontrolni plocha (1) : Illuminance [lux]**

## General information

### Configuration details

#### • Configuration (2)

Activated ☒

Matrix	Description	Flux	MF	Luminaire
355632	C:\Matrices\355632.mat	6,6	0,80	No Picture
861364	C:\Matrices\861364.mat	6,6	0,84	No Picture
861442	C:\Matrices\861442.mat	17,5	0,84	No Picture

#### Group details


Single								
	N°	Start			Luminaire			
		X	Y	H	Matrix	Az	Inc	Rot
✓	1	-14,584	2,982	8,000	355632	-214,9	0,0	0,0
✓	2	14,156	-0,593	8,000	355632	224,0	0,0	0,0
✓	3	-4,208	-11,876	8,000	355632	12,0	0,0	0,0
✓	4	29,178	-17,532	8,000	355632	9,0	5,0	0,0
✓	5	59,434	-22,931	8,000	861364	9,0	5,0	0,0
✓	6	-48,973	-4,071	8,000	355632	9,3	0,0	0,0
✓	7	3,103	26,234	10,000	861442	267,0	5,0	0,0

## Photometric documents

355632

C:\Matrices\355632.mat

## Polar / Cartesian diagram



## Utilization curve

