

PRAGOPROJEKT PRAHA, a. s. OBO CAD, 14754 Praha 4, K Rysance 16
PROGRAMOVÝ SYSTÉM R O A D P A C - program RP12

SMĚROVÝ VÝPOČET DO KRUŽNIC

Verze: 2010 Datum zadání: 10.7.2012 Datum výpočtu: 10. 7.2012 16: 2:49

Trasa: 101_1

Údaje o hlavních bodech směrového vedení trasy

CB IND	STA	YH	XH	sigmah	R	YS	XS			
CV TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1 OT	.000000	741135.059	1061777.519	263.05583	.000	.000	.000			
0 tečna	5.053	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2 TK	.005053	741130.834	1061774.748	263.05583	-5.000	741133.575	1061770.567			
1 kružnice	2.837	.000	.000	.00000	.000	741129.615	1061773.949	1.458	-.208	-36.12074
3 KT	.007890	741129.016	1061772.620	226.93509	.000	.000	.000			
0 tečna	10.224	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4 TK	.018114	741124.818	1061763.297	226.93509	5.000	741120.259	1061765.350			
2 kružnice	3.736	.000	.000	.00000	.000	741124.014	1061761.510	1.960	.370	47.56293
5 KT	.021849	741122.209	1061760.746	274.49802	.000	.000	.000			
0 tečna	11.996	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
6 TK	.033845	741111.163	1061756.068	274.49802	50.000	741091.665	1061802.110			
3 kružnice	13.287	.000	.000	.00000	.000	741105.009	1061753.462	6.683	.445	16.91806
7 KT	.047133	741098.386	1061752.563	291.41608	.000	.000	.000			
0 tečna	10.403	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
8 TK	.057535	741088.078	1061751.165	291.41608	30.000	741084.046	1061780.893			
4 kružnice	6.347	.000	.000	.00000	.000	741084.922	1061750.737	3.185	.169	13.46838
9 KT	.063882	741081.746	1061750.981	304.88446	.000	.000	.000			
0 tečna	15.293	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
10 TK	.079175	741066.498	1061752.153	304.88446	-100.000	741058.833	1061652.447			
5 kružnice	10.250	.000	.000	.00000	.000	741061.383	1061752.546	5.130	-.131	-6.52548
11 KT	.089426	741056.255	1061752.414	298.35898	.000	.000	.000			
0 tečna	53.563	.000	.000	.00000	.000	.000	.000	.000	.000	.00000

12 TK	.142988	741002.710	1061751.034	298.35898	1000.000	740976.936	1062750.702			
6 kružnice	12.894	.000	.000	.00000	.000	740996.266	1061750.868	6.447	.021	.82083
13 KT	.155882	740989.819	1061750.784	299.17981	.000	.000	.000			
0 tečna	20.552	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
14 TK	.176434	740969.269	1061750.520	299.17981	6.000	740969.192	1061756.519			
7 kružnice	2.392	.000	.000	.00000	.000	740968.057	1061750.504	1.212	.121	25.38032
15 KT	.178826	740966.934	1061750.960	324.56012	.000	.000	.000			
0 tečna	34.032	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
16 TK	.212858	740935.403	1061763.766	324.56012	20.000	740942.929	1061782.296			
8 kružnice	8.825	.000	.000	.00000	.000	740931.247	1061765.454	4.486	.497	28.09161
17 KT	.221683	740928.210	1061768.755	352.65174	.000	.000	.000			
0 tečna	6.375	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
18 TO	.228058	740923.894	1061773.447	352.65174	.000	.000	.000			

Trasa: 101_2

Údaje o hlavních bodech směrového vedení trasy

CB IND	STA	YH	XH	sigmah	R	YS	XS			
CV TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1 OT	.000000	740924.651	1061775.369	313.63067	.000	.000	.000			
0 tečna	24.127	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2 TK	.024127	740901.075	1061780.496	313.63067	-20.000	740896.825	1061760.952			
1 kružnice	6.629	.000	.000	.00000	.000	740897.806	1061781.206	3.345	-.278	-21.10041
3 KT	.030756	740894.484	1061780.815	292.53026	.000	.000	.000			
0 tečna	29.664	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4 TK	.060420	740865.024	1061777.342	292.53026	-200.000	740888.437	1061578.717			
2 kružnice	5.625	.000	.000	.00000	.000	740862.231	1061777.013	2.813	-.020	-1.79038
5 KT	.066045	740859.448	1061776.605	290.73988	.000	.000	.000			
0 tečna	33.881	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
6 TK	.099926	740825.925	1061771.694	290.73988	300.000	740782.441	1062068.526			
3 kružnice	20.820	.000	.000	.00000	.000	740815.620	1061770.185	10.414	.181	4.41815

7 KT	.120746	740805.236	1061769.394	295.15803	.000	.000	.000			
0 tečna	47.569	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
8 TO	.168315	740757.805	1061765.779	295.15803	.000	.000	.000			

Údaje o podrobných bodech trasy

WB	STA	Y	X	sig	R
** OT	.000000	740924.651	1061775.369	313.63067	.000
**	.020000	740905.108	1061779.619	313.63067	.000
TK	.024127	740901.075	1061780.496	313.63067	.000
KT	.030756	740894.484	1061780.815	292.53034	-20.000
**	.040000	740885.303	1061779.733	292.53026	.000
**	.060000	740865.441	1061777.391	292.53026	.000
TK	.060420	740865.024	1061777.342	292.53026	.000
KT	.066045	740859.448	1061776.605	290.73988	.000
**	.080000	740845.640	1061774.583	290.73988	.000
TK	.099926	740825.925	1061771.694	290.73988	300.000
**	.100000	740825.851	1061771.684	290.75563	300.000
**	.120000	740805.980	1061769.451	294.99976	300.000
KT	.120746	740805.236	1061769.394	295.15803	.000
**	.140000	740786.038	1061767.931	295.15803	.000
**	.160000	740766.096	1061766.411	295.15803	.000
** TO	.168315	740757.805	1061765.779	295.15803	.000

Trasa: 101_3

Údaje o hlavních bodech směrového vedení trasy

CB IND	STA	YH	XH	sigmah	R	YS	XS			
CV TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1 OT	.000000	740759.821	1061759.113	366.88735	.000	.000	.000			
0 tečna	4.854	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2 TK	.004854	740757.408	1061763.325	366.88735	-40.000	740722.698	1061743.445			
1 kružnice	22.347	.000	.000	.00000	.000	740751.706	1061773.281	11.474	-1.613	-35.56712
3 KT	.027202	740741.593	1061778.701	331.32023	.000	.000	.000			
0 tečna	22.610	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4 TK	.049812	740721.664	1061789.382	331.32023	200.000	740816.138	1061965.662			
2 kružnice	8.784	.000	.000	.00000	.000	740717.792	1061791.457	4.393	.048	2.79609
5 KT	.058596	740714.015	1061793.700	334.11632	.000	.000	.000			

0 tečna	45.220	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
18 TK	.412835	740374.151	1061815.547	327.81274	-55.000	740350.879	1061765.713			
9 kružnice	43.062	.000	.000	.00000	.000	740353.580	1061825.153	22.703	-4.501	-49.84433
19 KT	.455898	740332.223	1061817.452	277.96841	.000	.000	.000			
0 tečna	17.075	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
20 TK	.472973	740316.161	1061811.660	277.96841	200.000	740248.320	1061999.803			
10 kružnice	15.807	.000	.000	.00000	.000	740308.722	1061808.978	7.908	.156	5.03151
21 KT	.488780	740301.094	1061806.892	282.99992	.000	.000	.000			
0 tečna	36.425	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
22 TK	.525205	740265.960	1061797.280	282.99992	100.000	740239.573	1061893.736			
11 kružnice	24.890	.000	.000	.00000	.000	740253.894	1061793.979	12.510	.779	15.84558
23 KT	.550095	740241.386	1061793.752	298.84550	.000	.000	.000			
0 tečna	17.909	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
24 TK	.568004	740223.480	1061793.427	298.84550	100.000	740221.667	1061893.411			
12 kružnice	8.652	.000	.000	.00000	.000	740219.152	1061793.349	4.329	.094	5.50789
25 KT	.576656	740214.834	1061793.644	304.35339	.000	.000	.000			
0 tečna	6.734	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
26 TK	.583389	740208.116	1061794.105	304.35339	-30.000	740206.066	1061764.175			
13 kružnice	19.793	.000	.000	.00000	.000	740197.868	1061794.806	10.272	-1.710	-42.00301
27 KT	.603183	740189.340	1061789.080	262.35038	.000	.000	.000			
0 tečna	11.974	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
28 TK	.615157	740179.400	1061782.404	262.35038	100.000	740123.647	1061865.420			
14 kružnice	44.529	.000	.000	.00000	.000	740160.605	1061769.781	22.640	2.531	28.34810
29 KT	.659686	740138.206	1061766.485	290.69847	.000	.000	.000			
0 tečna	12.583	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
30 TK	.672270	740125.757	1061764.653	290.69847	50.000	740118.478	1061814.120			
15 kružnice	14.914	.000	.000	.00000	.000	740118.324	1061763.559	7.513	.561	18.98880
31 KT	.687183	740110.899	1061764.698	309.68727	.000	.000	.000			
0 tečna	10.399	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
32 TK	.697582	740100.620	1061766.274	309.68727	-50.000	740093.041	1061716.852			
16 kružnice	17.923	.000	.000	.00000	.000	740091.666	1061767.648	9.059	-.814	-22.82039

33 KT	.715505	740082.799	1061765.792	286.86689	.000	.000	.000			
0 tečna	17.848	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
34 TK	.733353	740065.330	1061762.136	286.86689	-10.000	740067.378	1061752.348			
17 kružnice	9.702	.000	.000	.00000	.000	740060.171	1061761.057	5.271	-1.304	-61.76252
35 KT	.743054	740058.146	1061756.190	225.10437	.000	.000	.000			
0 tečna	25.011	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
36 TK	.768066	740048.537	1061733.099	225.10437	-60.000	740103.932	1061710.047			
18 kružnice	42.917	.000	.000	.00000	.000	740039.922	1061712.397	22.423	-4.053	-45.53650
37 KT	.810983	740046.996	1061691.119	179.56787	.000	.000	.000			
0 tečna	49.557	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
38 TO	.860540	740062.629	1061644.093	179.56787	.000	.000	.000			

Údaje o podrobných bodech trasy

WB	STA	Y	X	sig	R
** OT	.000000	740759.821	1061759.113	366.88735	.000
TK	.004854	740757.408	1061763.325	366.88735	.000
**	.420000	740367.480	1061818.148	319.51957	-55.000
**	.440000	740347.745	1061820.624	296.36976	-55.000
KT	.455898	740332.223	1061817.452	277.96841	.000
**	.460000	740328.364	1061816.061	277.96841	.000
TK	.472973	740316.161	1061811.660	277.96841	200.000
**	.480000	740309.509	1061809.393	280.20530	200.000
KT	.488780	740301.094	1061806.892	282.99992	.000
**	.500000	740290.272	1061803.931	282.99992	.000
**	.520000	740270.981	1061798.653	282.99992	.000
TK	.525205	740265.960	1061797.280	282.99992	100.000
**	.540000	740251.453	1061794.444	292.41873	100.000
KT	.550095	740241.386	1061793.752	298.84541	100.000
**	.560000	740231.483	1061793.572	298.84550	.000
TK	.568004	740223.480	1061793.427	298.84550	100.000
KT	.576656	740214.834	1061793.644	304.35339	.000
**	.580000	740211.497	1061793.873	304.35339	.000
TK	.583389	740208.116	1061794.105	304.35339	.000
**	.600000	740192.072	1061790.711	269.10470	-30.000
KT	.603183	740189.340	1061789.080	262.35037	.000
TK	.615157	740179.400	1061782.404	262.35037	.000
**	.620000	740175.316	1061779.802	265.43327	100.000
**	.640000	740157.276	1061771.244	278.16567	100.000
KT	.659686	740138.207	1061766.485	290.69816	100.000
**	.660000	740137.896	1061766.439	290.69847	.000

TK	.672270	740125.757	1061764.653	290.69847	50.000
**	.680000	740118.053	1061764.122	300.54104	50.000
KT	.687183	740110.899	1061764.698	309.68672	50.000
TK	.697582	740100.620	1061766.274	309.68727	.000
**	.700000	740098.222	1061766.583	306.60859	-50.000
KT	.715505	740082.799	1061765.792	286.86701	-50.000
**	.720000	740078.400	1061764.871	286.86689	.000
TK	.733353	740065.330	1061762.136	286.86689	-10.000
**	.740000	740059.729	1061758.789	244.54960	-10.000
KT	.743054	740058.146	1061756.191	225.10723	-10.000
**	.760000	740051.635	1061740.545	225.10437	.000
TK	.768066	740048.537	1061733.099	225.10437	-60.000
**	.780000	740045.074	1061721.698	212.44152	-60.000
**	.800000	740044.501	1061701.799	191.22086	-60.000
KT	.810983	740046.996	1061691.119	179.56787	.000
**	.820000	740049.840	1061682.562	179.56787	.000
**	.840000	740056.149	1061663.583	179.56787	.000
**	.860000	740062.459	1061644.605	179.56787	.000
** TO	.860540	740062.629	1061644.093	179.56787	.000

Trasa: 101_4

Údaje o hlavních bodech směrového vedení trasy

CB IND	STA	YH	XH	sigmah	R	YS	XS			
CV TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1 OT	.000000	740063.778	1061636.193	150.68820	.000	.000	.000			
0 tečna	18.105	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2 TK	.018105	740076.441	1061623.253	150.68820	35.000	740051.426	1061598.773			
1 kružnice	19.919	.000	.000	.00000	.000	740083.601	1061615.936	10.237	1.467	36.23154
3 KT	.038024	740085.690	1061605.914	186.91973	.000	.000	.000			
0 tečna	101.645	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4 TK	.139669	740106.428	1061506.407	186.91973	-110.000	740214.114	1061528.850			
2 kružnice	10.999	.000	.000	.00000	.000	740107.551	1061501.019	5.504	-.138	-6.36572
5 KT	.150668	740109.206	1061495.770	180.55402	.000	.000	.000			
0 tečna	9.706	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
6 TK	.160374	740112.125	1061486.513	180.55402	-18.000	740129.292	1061491.926			
3 kružnice	0.3626	.000	.000	.00000	.000	740115.830	1061474.764	12.320	-3.812	-76.42062
10 TO	.164000	740113.340	1061483.175	170.58139	.000	.000	.000			

Údaje o podrobných bodech trasy

	WB	STA	Y	X	sig	R
**	OT	.000000	740063.778	1061636.193	150.68820	.000
	TK	.018105	740076.441	1061623.253	150.68820	.000
**		.020000	740077.729	1061621.864	154.13493	35.000
	KT	.038024	740085.690	1061605.914	186.91903	35.000
**		.040000	740086.093	1061603.980	186.91973	.000
**		.060000	740090.174	1061584.401	186.91973	.000
**		.080000	740094.254	1061564.821	186.91973	.000
**		.100000	740098.334	1061545.242	186.91973	.000
**		.120000	740102.415	1061525.663	186.91973	.000
	TK	.139669	740106.428	1061506.407	186.91973	.000
**		.140000	740106.496	1061506.083	186.72819	-110.000
	KT	.150668	740109.206	1061495.770	180.55414	-110.000
**		.160000	740112.012	1061486.870	180.55402	.000
	TK	.160374	740112.125	1061486.513	180.55402	-18.000
**	TO	.164000	740113.340	1061483.175	170.58139	.000

Trasa: 101_6

Údaje o hlavních bodech směrového vedení trasy

CB	IND	STA	YH	XH	sigmah	R	YS	XS			
CV	TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1	OT	.000000	740442.167	1060042.573	111.33036	.000	.000	.000			
0	tečna	31.412	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2	TK	.031412	740473.083	1060037.012	111.33036	-300.000	740526.195	1060332.273			
1	kružnice	33.428	.000	.000	.00000	.000	740489.550	1060034.050	16.732	-.466	-7.09374
3	KT	.064841	740506.245	1060032.938	104.23663	.000	.000	.000			
0	tečna	68.593	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4	TK	.133434	740574.686	1060028.376	104.23663	300.000	740554.736	1059729.040			
2	kružnice	17.802	.000	.000	.00000	.000	740583.570	1060027.784	8.904	.132	3.77777
5	KT	.151236	740592.404	1060026.666	108.01440	.000	.000	.000			
0	tečna	109.096	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
6	TK	.260332	740700.636	1060012.968	108.01440	-70.000	740709.425	1060082.414			
3	kružnice	15.925	.000	.000	.00000	.000	740708.570	1060011.964	7.997	-.455	-14.48351
7	KT	.276257	740716.526	1060012.775	93.53089	.000	.000	.000			

0	tečna	8.622	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
8	TK	.284880	740725.104	1060013.650	93.53089	130.000	740738.291	1059884.321			
4	kružnice	35.082	.000	.000	.00000	.000	740742.661	1060015.440	17.648	1.192	17.17997
9	KT	.319962	740760.060	1060012.485	110.71086	.000	.000	.000			
0	tečna	98.762	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
10	TK	.418724	740857.427	1059995.947	110.71086	-200.000	740890.918	1060193.123			
5	kružnice	58.488	.000	.000	.00000	.000	740886.466	1059991.015	29.454	-2.157	-18.61729
11	KT	.477212	740915.693	1059994.664	92.09357	.000	.000	.000			
0	tečna	55.281	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
12	TO	.532493	740970.548	1060001.512	92.09357	.000	.000	.000			

Údaje o podrobných bodech trasy

	WB	STA	Y	X	sig	R
**	OT	.000000	740442.167	1060042.573	111.33036	.000
**		.020000	740461.851	1060039.033	111.33036	.000
	TK	.031412	740473.083	1060037.012	111.33036	.000
**		.040000	740481.556	1060035.613	109.50798	-300.000
**		.060000	740501.418	1060033.298	105.26385	-300.000
	KT	.064841	740506.245	1060032.938	104.23663	.000
**		.080000	740521.371	1060031.929	104.23663	.000
**		.100000	740541.326	1060030.599	104.23663	.000
**		.120000	740561.282	1060029.269	104.23663	.000
	TK	.133434	740574.686	1060028.376	104.23663	.000
**		.140000	740581.232	1060027.868	105.62997	300.000
	KT	.151236	740592.403	1060026.666	108.01432	300.000
**		.160000	740601.098	1060025.566	108.01440	.000
**		.180000	740620.940	1060023.055	108.01440	.000
**		.200000	740640.781	1060020.543	108.01440	.000
**		.220000	740660.623	1060018.032	108.01440	.000
**		.240000	740680.465	1060015.521	108.01440	.000
**		.260000	740700.307	1060013.010	108.01440	.000
	TK	.260332	740700.636	1060012.968	108.01440	.000
	KT	.276257	740716.525	1060012.775	93.53130	-70.000
**		.280000	740720.249	1060013.155	93.53089	.000
	TK	.284880	740725.104	1060013.650	93.53089	130.000
**		.300000	740740.201	1060014.307	100.93529	130.000
	KT	.319962	740760.060	1060012.485	110.71084	130.000
**		.320000	740760.098	1060012.479	110.71086	.000
**		.340000	740779.815	1060009.130	110.71086	.000
**		.360000	740799.533	1060005.781	110.71086	.000
**		.380000	740819.251	1060002.432	110.71086	.000

**		.400000	740838.968	1059999.083	110.71086	.000
TK		.418724	740857.427	1059995.947	110.71086	-200.000
**		.420000	740858.686	1059995.737	110.30456	-200.000
**		.440000	740878.553	1059993.506	103.93836	-200.000
**		.460000	740898.543	1059993.269	97.57217	-200.000
KT		.477212	740915.693	1059994.664	92.09357	.000
**		.480000	740918.460	1059995.009	92.09357	.000
**		.500000	740938.306	1059997.487	92.09357	.000
**		.520000	740958.152	1059999.964	92.09357	.000
TO		.532493	740970.548	1060001.512	92.09357	.000

Trasa: 101_8

		Údaje o hlavních bodech směrového vedení trasy									
CB	IND	STA	YH	XH	sigmah	R	YS	XS			
CV	TP	DIF	YP	XP	sigp	A	YT	XT	T1	T2(VZP)	alfat
1	OT	.000000	742000.070	1059450.537	104.50791	.000	.000	.000			
0	tečna	17.856	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
2	TK	.017856	742017.881	1059449.273	104.50791	-30.000	742020.004	1059479.198			
1	kružnice	3.631	.000	.000	.00000	.000	742019.694	1059449.145	1.818	-.055	-7.70565
3	KT	.021487	742021.510	1059449.236	96.80225	.000	.000	.000			
0	tečna	22.102	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
4	TK	.043589	742043.584	1059450.346	96.80225	-30.000	742042.078	1059480.308			
2	kružnice	6.567	.000	.000	.00000	.000	742046.877	1059450.511	3.297	-.181	-13.93636
5	KT	.050157	742050.055	1059451.388	82.86589	.000	.000	.000			
0	tečna	49.462	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
6	TK	.099619	742097.736	1059464.540	82.86589	30.000	742105.714	1059435.620			
3	kružnice	4.147	.000	.000	.00000	.000	742099.739	1059465.093	2.077	.072	8.80097
7	KT	.103766	742101.798	1059465.364	91.66687	.000	.000	.000			
0	tečna	18.733	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
8	TK	.122499	742120.370	1059467.809	91.66687	33.494	742124.742	1059434.602			
4	kružnice	37.268	.000	.000	.00000	.000	742141.021	1059470.527	20.829	5.948	70.83644
9	KT	.159767	742152.592	1059453.208	162.50331	.000	.000	.000			
0	tečna	17.126	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
10	TK	.176893	742162.106	1059438.968	162.50331	100.000	742078.956	1059383.416			
5	kružnice	4.219	.000	.000	.00000	.000	742163.278	1059437.214	2.110	.022	2.68606

11 KT	.181112	742164.375	1059435.412	165.18936	.000	.000	.000			
0 tečna	35.609	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
12 TK	.216721	742182.890	1059404.995	165.18936	-30.000	742208.516	1059420.594			
6 kružnice	5.200	.000	.000	.00000	.000	742184.245	1059402.769	2.607	-.113	-11.03486
13 KT	.221921	742185.964	1059400.809	154.15450	.000	.000	.000			
0 tečna	7.866	.000	.000	.00000	.000	.000	.000	.000	.000	.00000
14 TO	.229786	742191.152	1059394.897	154.15450	.000	.000	.000			

Údaje o vrcholech tečnového polygonu trasy					
čís.vrch.	YT	XT	T1	T2	alfat
0	742000.070	1059450.537	.000	.000	.00000
1	742019.694	1059449.145	1.818	1.818	-7.70565
2	742046.877	1059450.511	3.297	3.297	-13.93636
3	742099.739	1059465.093	2.077	2.077	8.80097
4	742141.021	1059470.527	20.829	20.829	70.83644
5	742163.278	1059437.214	2.110	2.110	2.68606
6	742184.245	1059402.769	2.607	2.607	-11.03486
7	742191.152	1059394.897	.000	.000	.00000