

svitidla AMPERA EVO 1 / 20 LED / 400 mA / 5369 / NW / 26 W

Project : VO Kvetnice - prisvetleni prechodu

File : ... \Plocha\prechod 6,5 m.LPF


Summary

Grid summary

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A (1)		Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)		11,8	33,7	18,9	35,0	62,4
Doplnkovy prostor B1 (2)		Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)		17,0	33,1	24,8	51,3	68,5
Doplnkovy prostor B2 (3)		Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)		10,0	14,7	12,4	68,0	80,9

Current view Configuration (1)



Grid results

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A (1) : Illuminance [lux]

Min : 11,8 lux



Ave (A) 18,9 lux

Max : 33,7 lux

Uo : 62,4 %

Ug : 35,0 %

5,957	14,0	19,4	15,2
4,874	16,0	21,6	15,3
3,791	11,8	18,0	14,8
2,708	14,2	21,4	17,1
1,625	17,8	27,3	20,0
0,542	20,1	33,7	23,2
Y/X	-1,333	0,000	1,333

Zakladni prostor A (1) : Illuminance [lux]**Zakladni prostor A (1) : Illuminance [lux]**

Doplňkový prostor B1 (2) : Illuminance [lux]

Min : 17,0 lux

Ave (A) 24,8 lux

Max : 33,1 lux

Uo : 68,5 %

Ug : 51,3 %

-0,500	17,0	33,1	24,3
Y/X	-1,333	0,000	1,333

Doplnkovy prostor B2 (3) : Illuminance [lux]

Min : 10,0 lux

Ave (A) 12,4 lux

Max : 14,7 lux

Uo : 80,9 %

Ug : 68,0 %

7,000	10,0	14,7	12,4
Y/X	-1,333	0,000	1,333

General information**Configuration details**

• Configuration (1)

Activated ☒

Matrix	Description	Flux	MF	Luminaire
504732	C:\Program Files (x86)\Schreder\Lighting\Matrices\504732.mat	4,4	0,90	No Picture

Group details

Single								
	N°	Start			Luminaire			
		X	Y	H	Matrix	Az	Inc	Rot
✓	1	-3,000	0,000	6,000	504732	0,0	5,0	0,0
✓	2	3,000	6,500	6,000	504732	180,0	5,0	0,0