

svitidla AMPERA EVO 1 / 20 LED / 400 mA / 5369 / NW / 26 W

Project : VO Kvetnice - prisetleni prechodu

File : ... \ppaseka\ONEDRI~1\Plocha\prechod.lpf


## Summary

### Grid summary

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A (1)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	11,8	34,6	19,1	34,1	61,7
Doplnkovy prostor B1 (2)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	15,2	30,3	22,9	50,2	66,4
Doplnkovy prostor B2 (3)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	9,0	13,5	11,4	66,7	79,2

Current view Configuration (1)



**Grid results**

Average type : Arithmetic (A) or Weighted (W)

**Zakladni prostor A (1) : Illuminance [lux]**

Min : 11,8 lux



Ave (A) 19,1 lux

Max : 34,6 lux

Uo : 61,7 %

Ug : 34,1 %

6,418	13,6	18,7	14,9
5,251	16,0	21,7	15,5
4,084	11,8	18,0	14,9
2,917	14,4	21,8	17,3
1,750	18,4	28,4	20,6
0,583	19,9	34,6	24,0
Y/X	-1,333	0,000	1,333

**Zakladni prostor A (1) : Illuminance [lux]****Zakladni prostor A (1) : Illuminance [lux]**

**Doplňkový prostor B1 (2) : Illuminance [lux]**

Min : 15,2 lux

Ave (A) 22,9 lux

Max : 30,3 lux

Uo : 66,4 %

Ug : 50,2 %

-0,500	15,2	30,3	23,2
Y/X	-1,333	0,000	1,333

**Doplnkovy prostor B2 (3) : Illuminance [lux]**

Min : 9,0 lux

Ave (A) 11,4 lux

Max : 13,5 lux

Uo : 79,2 %

Ug : 66,7 %

7,500	9,0	13,5	11,7
Y/X	-1,333	0,000	1,333

## General information

### Configuration details

#### • Configuration (1)

Activated ☒

Matrix	Description	Flux	MF	Luminaire
504732	C:\Program Files (x86)\Schreder\Lighting\Matrices\504732.mat	4,4	0,90	No Picture

#### Group details

Single								
	N°	Start			Luminaire			
		X	Y	H	Matrix	Az	Inc	Rot
✓	1	-3,000	0,300	6,000	504732	0,0	5,0	0,0
✓	2	3,000	6,700	6,000	504732	180,0	5,0	0,0